

## Safety Data Sheet

According to Annex II to REACH - Regulation (EU) 2020/878 and to Annex II to UK REACH

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Code: 600191  
Product name: TOPFINISH 2 NERO NANO REFINISHING POLISH

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Refinishing polish

#### 1.3. Details of the supplier of the safety data sheet

Name: PAI CRISTAL ITALIA S.R.L.  
Full address: VIA RISORGIMENTO 35  
District and Country: 32040 DOMEgge DI CADORE (BL)  
ITALIA

Tel. +39. 0435 501668

Fax +39. 0435 72273

e-mail address of the competent person

responsible for the Safety Data Sheet: info@paicristal.it

#### 1.4. Emergency telephone number

For urgent inquiries refer to: +39. 0435 501668

### SECTION 2. Hazards identification

#### 2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2020/878.

Hazard classification and indication: --

#### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: --

Signal words: --

Hazard statements:

**EUH066** Repeated exposure may cause skin dryness or cracking.

EUH210

Safety data sheet available on request.

EUH208

Contains: 1,2- Benzisothiazol-3(2H)-one  
May produce an allergic reaction.

Precautionary statements:

--

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification (EC) 1272/2008 (CLP)
<b>Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, &lt;2% aromatics</b>		
INDEX -	$13,5 \leq x < 15$	Asp. Tox. 1 H304, EUH066
EC 926-141-6		
CAS 64742-47-8		
REACH Reg. 01-2119456620-43		
<b>Siloxane and silicone, cetyl Me, Di-Me</b>		
INDEX	$5 \leq x < 6$	Aquatic Chronic 3 H412
EC -		
CAS 191044-49-2		
<b>Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclic, &lt;2% aromatics</b>		
INDEX -	$4,5 \leq x < 5$	Asp. Tox. 1 H304, EUH066
EC 920-107-4		
CAS 64742-47-8		
REACH Reg. 01-2119453414-43		
<b>1,2- Benzisothiazol-3(2H)-one</b>		
INDEX	$0 \leq x < 0,05$	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1 Skin Sens. 1 H317: $\geq 0,05\%$ LD50 Oral: 1400 mg/kg
EC 220-120-9		
CAS 2634-33-5		
REACH Reg. 01-2120761540-60-xxxx		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

## TOPFINISH 2 NERO NANO REFINISHING POLISH

**SECTION 4. First aid measures****4.1. Description of first aid measures**

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

**4.2. Most important symptoms and effects, both acute and delayed**

Specific information on symptoms and effects caused by the product are unknown.

**4.3. Indication of any immediate medical attention and special treatment needed**

Information not available

**SECTION 5. Firefighting measures****5.1. Extinguishing media****SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

**UNSUITABLE EXTINGUISHING EQUIPMENT**

None in particular.

**5.2. Special hazards arising from the substance or mixture****HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products.

**5.3. Advice for firefighters****GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

**SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS**

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

**SECTION 6. Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

**6.2. Environmental precautions**

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.  
Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory references:

EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
----	--------	--

Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics								
Health - Derived no-effect level - DNEL / DMEL								
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		NPI		NPI				
Inhalation	NEA	NPI	NPI	NPI	NPI	NPI	NPI	NPI
Skin	NPI	NPI	LOW	NPI	NPI	NPI	LOW	NPI

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclic, <2% aromatics						
Threshold Limit Value						
Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
OEL	EU	200				SKIN non aerosol

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

HAND PROTECTION  
Protect hands with category III work gloves.  
The following should be considered when choosing work glove material (see standard EN 374): compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION  
Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION  
Wear airtight protective goggles (see standard EN ISO 16321).

RESPIRATORY PROTECTION  
Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387).  
If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS  
The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Appearance	viscous liquid	
Colour	black	
Odour	characteristic	
Melting point / freezing point	not available	
Initial boiling point	not available	
Flammability	not available	
Lower explosive limit	not available	
Upper explosive limit	not available	
Flash point	> 60 °C	
Auto-ignition temperature	not available	
Decomposition temperature	not available	
pH	7-8	

Kinematic viscosity	>20,5 mm2/sec (40°C)
Solubility	partially miscible
Partition coefficient: n-octanol/water	not available
Vapour pressure	not available
Density and/or relative density	1
Relative vapour density	not available
Particle characteristics	not applicable

**9.2. Other information**

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

**SECTION 10. Stability and reactivity**

**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

**10.2. Chemical stability**

The product is stable in normal conditions of use and storage.

**10.3. Possibility of hazardous reactions**

No hazardous reactions are foreseeable in normal conditions of use and storage.

**10.4. Conditions to avoid**

None in particular. However the usual precautions used for chemical products should be respected.

**10.5. Incompatible materials**

Information not available

**10.6. Hazardous decomposition products**

Information not available

**SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.  
It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

PAI CRISTAL ITALIA S.R.L.		Revision nr. 3
TOPFINISH 2 NERO NANO REFINISHING POLISH		Dated 12/06/2024
		Printed on 12/06/2024
		Page n. 7/13
		Replaced revision:2 (Dated: 12/06/2024)
<b>11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008</b>		
<u>Metabolism, toxicokinetics, mechanism of action and other information</u>		
Information not available		
<u>Information on likely routes of exposure</u>		
Information not available		
<u>Delayed and immediate effects as well as chronic effects from short and long-term exposure</u>		
Information not available		
<u>Interactive effects</u>		
Information not available		
ACUTE TOXICITY ATE (Inhalation) of the mixture:		Not classified (no significant component)
ATE (Oral) of the mixture:		Not classified (no significant component)
ATE (Dermal) of the mixture:		Not classified (no significant component)
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics		
LD50 (Dermal):		> 5000 mg/kg Coniglio
LD50 (Oral):		> 5000 mg/kg Ratto
ALUMINA		
LD50 (Oral):		> 5000 mg/kg Rat
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclic, <2% aromatics		
LD50 (Dermal):		> 5000 mg/kg Coniglio
LD50 (Oral):		> 5000 mg/kg Ratto
LC50 (Inhalation vapours):		> 6100 mg/m3 Ratto
1,2- Benzisothiazol-3(2H)-one		
LD50 (Oral):		1400 mg/kg Rat
<u>SKIN CORROSION / IRRITATION</u>		
Repeated exposure may cause skin dryness or cracking.		
<u>SERIOUS EYE DAMAGE / IRRITATION</u>		
Does not meet the classification criteria for this hazard class		
<u>RESPIRATORY OR SKIN SENSITISATION</u>		
May produce an allergic reaction.		
Contains:		
1,2- Benzisothiazol-3(2H)-one		
<u>GERM CELL MUTAGENICITY</u>		
Does not meet the classification criteria for this hazard class		
<u>CARCINOGENICITY</u>		
Does not meet the classification criteria for this hazard class		

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class Viscosity: >20,5 mm2/sec (40°C)

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

ISOPROPYL MYRISTATE		
EC50 - for Crustacea		< 100 mg/l/48h
Chronic NOEC for Crustacea		> 100 mg/l
Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclic, <2% aromatics		
LC50 - for Fish		> 1000 mg/l/96h Oncorhynchus mykiss
EC50 - for Crustacea		> 1000 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants		> 1000 mg/l/72h Pseudokirchneriella subcapitata
1,2- Benzisothiazol-3(2H)-one		
LC50 - for Fish		10 mg/l/96h Fish
EC50 - for Crustacea		4,4 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants		0,037 mg/l/72h
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics		
LC50 - for Fish		1000 mg/l/96h

12.2. Persistence and degradability

ISOPROPYL MYRISTATE  
Rapidly degradable



PAI CRISTAL ITALIA S.R.L.	Revision nr. 3
	Dated 12/06/2024
TOPFINISH 2 NERO NANO REFINISHING POLISH	Printed on 12/06/2024
	Page n. 9/13
Replaced revision:2 (Dated: 12/06/2024)	

ALUMINA

Solubility in water < 2E-05 mg/l

Degradability: information not available

Hydrocarbons, C12-C15, n-alkanes,  
isoalkanes, cyclic, <2% aromatics  
Entirely degradable

Hydrocarbons, C11-C14, n-alkanes,  
isoalkanes, cyclics, <2% aromatics  
Rapidly degradable

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.  
Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.  
CONTAMINATED PACKAGING  
Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

PAI CRISTAL ITALIA S.R.L.	Revision nr. 3 Dated 12/06/2024
TOPFINISH 2 NERO NANO REFINISHING POLISH	Printed on 12/06/2024 Page n. 10/13 Replaced revision:2 (Dated: 12/06/2024)

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

**15.2. Chemical safety assessment**

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

**SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

<b>Acute Tox. 4</b>	Acute toxicity, category 4
<b>Asp. Tox. 1</b>	Aspiration hazard, category 1
<b>Eye Dam. 1</b>	Serious eye damage, category 1
<b>Skin Irrit. 2</b>	Skin irritation, category 2
<b>Skin Sens. 1</b>	Skin sensitization, category 1
<b>Aquatic Acute 1</b>	Hazardous to the aquatic environment, acute toxicity, category 1
<b>Aquatic Chronic 3</b>	Hazardous to the aquatic environment, chronic toxicity, category 3
<b>H302</b>	Harmful if swallowed.
<b>H304</b>	May be fatal if swallowed and enters airways.
<b>H318</b>	Causes serious eye damage.
<b>H315</b>	Causes skin irritation.

PAI CRISTAL ITALIA S.R.L.		Revision nr. 3
		Dated 12/06/2024
TOPFINISH 2 NERO NANO REFINISHING POLISH		Printed on 12/06/2024
		Page n. 12/13
		Replaced revision:2 (Dated: 12/06/2024)
<div><div>H317</div><div>May cause an allergic skin reaction.</div></div> <div><div>H400</div><div>Very toxic to aquatic life.</div></div> <div><div>H412</div><div>Harmful to aquatic life with long lasting effects.</div></div> <div><div>EUH066</div><div>Repeated exposure may cause skin dryness or cracking.</div></div> <div><div>EUH210</div><div>Safety data sheet available on request.</div></div>		
<p>LEGEND:</p> <ul style="list-style-type: none"><li>- ADR: European Agreement concerning the carriage of Dangerous goods by Road</li><li>- ATE: Acute Toxicity Estimate</li><li>- CAS: Chemical Abstract Service Number</li><li>- CE50: Effective concentration (required to induce a 50% effect)</li><li>- CE: Identifier in ESIS (European archive of existing substances)</li><li>- CLP: Regulation (EC) 1272/2008</li><li>- DNEL: Derived No Effect Level</li><li>- EmS: Emergency Schedule</li><li>- GHS: Globally Harmonized System of classification and labeling of chemicals</li><li>- IATA DGR: International Air Transport Association Dangerous Goods Regulation</li><li>- IC50: Immobilization Concentration 50%</li><li>- IMDG: International Maritime Code for dangerous goods</li><li>- IMO: International Maritime Organization</li><li>- INDEX: Identifier in Annex VI of CLP</li><li>- LC50: Lethal Concentration 50%</li><li>- LD50: Lethal dose 50%</li><li>- OEL: Occupational Exposure Level</li><li>- PBT: Persistent, bioaccumulative and toxic</li><li>- PEC: Predicted environmental Concentration</li><li>- PEL: Predicted exposure level</li><li>- PMT: Persistent, mobile and toxic</li><li>- PNEC: Predicted no effect concentration</li><li>- REACH: Regulation (EC) 1907/2006</li><li>- RID: Regulation concerning the international transport of dangerous goods by train</li><li>- TLV: Threshold Limit Value</li><li>- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.</li><li>- TWA: Time-weighted average exposure limit</li><li>- TWA STEL: Short-term exposure limit</li><li>- VOC: Volatile organic Compounds</li><li>- vPvB: Very persistent and very bioaccumulative</li><li>- vPvM: Very persistent and very mobile</li><li>- WGK: Water hazard classes (German).</li></ul>		
<p>GENERAL BIBLIOGRAPHY</p> <ol style="list-style-type: none"><li>1. Regulation (EC) 1907/2006 (REACH) of the European Parliament</li><li>2. Regulation (EC) 1272/2008 (CLP) of the European Parliament</li><li>3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)</li><li>4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament</li><li>5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament</li><li>6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament</li><li>7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament</li><li>8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament</li><li>9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament</li><li>10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament</li><li>11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament</li><li>12. Regulation (EU) 2016/1179 (IX Atp. CLP)</li><li>13. Regulation (EU) 2017/776 (X Atp. CLP)</li><li>14. Regulation (EU) 2018/669 (XI Atp. CLP)</li><li>15. Regulation (EU) 2019/521 (XII Atp. CLP)</li><li>16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)</li><li>17. Regulation (EU) 2019/1148</li><li>18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)</li><li>19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)</li><li>20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)</li><li>21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)</li></ol>		

PAI CRISTAL ITALIA S.R.L.	Revision nr. 3
	Dated 12/06/2024
TOPFINISH 2 NERO NANO REFINISHING POLISH	Printed on 12/06/2024
	Page n. 13/13
	Replaced revision:2 (Dated: 12/06/2024)

- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- 23. Delegated Regulation (UE) 2023/707
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

**CALCULATION METHODS FOR CLASSIFICATION**

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

02 / 08 / 09 / 11 / 13 / 15 / 16.