

Compliant to Reg. UE 1907/2006 REACH

### 1 – Product name and company

Product: **VB200 Vacuum Bagging Film**

Company: Easy Composites Ltd  
Unit 39  
Park Hall Business Village  
Longton,  
Stoke-on-Trent  
ST3 5XA  
United Kingdom

Tel: +44 (0) 1782 454499  
Email: [sales@easycomposites.com](mailto:sales@easycomposites.com)

### 2 – Description and hazards identification

Coextruded polyamide based film for vacuum bagging applications.

The product is not classified as hazardous and does not require specific labelling according to CE n°1272/2008 regulation.

### 3 – Composition

The product is a coextrusion of polyolefins:  
Polyamide (PA) CAS n° 63428-84-2

The product may contain traces of:

- anti-blocking and anti-slipping agents that may contain traces of Caprolactam (CAS n°: 105-60-2),
- process-aid agents,
- Heat stabilizer agents that may contain traces of Potassium Iodide (CAS n°: 7681-11-0), Copper Iodide (CAS n°: 7681-65-4)

The product does not intentionally contain hazardous / dangerous substances according to UE Reg. 1907/2006 REACH.

### 4 – First aid measures

No specific informations beside standard first aid procedures.

### 5 – Fire extinguishing measures

Extinguishing agents: water; chemical powder; CO<sub>2</sub>.

In case of fire the product may produce carbon monoxide (CO) and carbon dioxide (CO<sub>2</sub>)

### 6 – Accidental release measures

Film dispersed to the ground may cause slipping.  
Do not disperse the product in the environment.

Compliant to Reg. UE 1907/2006 REACH

### 7 – Manipulation and storage

Proceed following standard manipulation and storage regulations.  
Provide adequate ventilation of the working area if heating the product.  
Activate a grounding system to the machinery to avoid static electricity.  
Protect against moisture, direct sunlight, igniting sources and contamination from other substances.

### 8 – Personal protective equipment

No specific information  
Wear safety shoes during the handling of the packed goods.

### 9 – Physical and chemical properties

Appearance: transparent green thin plastic film  
Density: 1.13 g/cm<sup>3</sup>  
Melting point: >200°C  
Flammability temperature: >300°C  
Water solubility: not soluble

### 10 – Stability and reactivity

Stable under normal utilization conditions.

### 11 – Toxicological information

The product is not classified as hazardous; high temperature produces thermal degradation products which could be irritants.

### 12 – Environment information

Basing on our knowledge / experience the product is not classifiable as dangerous to the environment.  
Avoid dispersion in environment, reuse to reduce waste and recycle the product (UE plastic waste disposal class: OTHER – 07).

### 13 – Disposal

According to local legislation.  
UE plastic waste disposal class: OTHER – 07.

### 14 – Transportation information

No classification required / applicable for ADR, RID, AND, IMDG, IATA, ICAO, bulk transport (Annex II of MARPOL and IBC Code)

*Compliant to Reg. UE 1907/2006 REACH*

### **15 – Regulatory informations**

Chemical Safety Assessment is not required; product is not classified as harmful, the present safety information data sheet is not requested by law for this product.

The product does not contain / during manufacturing process are not intentionally added dangerous substances (SVHC) listed in the UE Reg 1907/2006 REACH.

### **16 – Notes, closing and other informations**

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the product nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Date and revision: 19/11/2021 - Rev. n°01