

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008 Including amendments

Revision date 11/12/2024

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EP FASCOL IVORY PIGMENT

Product Code(s) WS19833A

Safety data sheet number 33021

Unique Formula Identifier (UFI) R0FX-F2M2-S009-295V

Pure substance/mixture Mixture

Contains bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE; Formaldehyde, polymer with (chloromethyl)oxirane and phenol, mw <=700; oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Colouring of epoxide compound & systems.

1.3. Details of the supplier of the safety data sheet

<u>Importer</u> <u>Supplier</u>

WSEU LIMITED

The Penthouse Floor

5 Lapps Quay

Cork

Ireland

T12 RW7D

West & Senior Ltd

Milltown Street

Radcliffe

Manchester

M26 1WE

UK

For further information, please contact

E-mail address info@westsenior.co.uk

Non-Emergency Telephone Number + 44 01617247131

1.4. Emergency telephone number

Emergency Telephone +44 0161 724 7131 Only available 8am to 4pm, Monday to Friday (UK Time Zone)

Emergency Telephone - §45 - (EC)1	272/2008
Europe	112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin irritation	Category 2 - (H315)
Eye irritation	Category 2 - (H319)

Skin sensitization	Category 1 - (H317)
Hazardous to the aquatic environment - chronic	Category 2 - (H411)

2.2. Label elements

Contains bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE; Formaldehyde, polymer with (chloromethyl)oxirane and phenol, mw <=700; oxirane, mono[(C12-14-alkyloxy)methyl] derivs.



Signal word

Warning

Hazard statements

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, eye protection and face protection.

P391 - Collect spillage.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

Other hazards No information available.

PBT & vPvB None known.

Endocrine Disruptor InformationThis product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	CAS No.	Weight-%	REACH registration number	,	Regulation (EC) No. 1272/2008	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
					[CLP]			
TITANIUM DIOXIDE	13463-67-7	30-60%	01-21194893	236-675-5	No data	-	-	-
			79-17-0000		available			

Page 2 / 18

bis[4-(2,3-EPOXYP ROPOXY)PHENYL] PROPANE	1675-54-3	10-30%	01-21194566 19-26-0000	2) 216-823-5	Aquatic Chronic 2 (H411) Skin Sens. 1 (H317) Eye Irrit. 2 (H319) Skin Irrit. 2 (H315)	Eye Irrit. 2 :: C>=5% Skin Irrit. 2 :: C>=5%	-	<u>-</u>
Bisphenol F diglycidyl ether, reaction mass of isomers	-	10-30%	01-21194543 92-40-XXXX		Aquatic Chronic 2 (H411) Skin Sens. 1 (H317) Skin Irrit. 2 (H315)	-	-	-
oxirane, mono[(C12-14-alkyl oxy)methyl] derivs.	68609-97-2	1-5%	01-21194852 89-22-0000	(603-103-00- 4)	Skin Sens. 1 (H317) Skin Irrit. 2 (H315)	-		-
C.I. PIGMENT YELLOW 42	51274-00-1	<1%	01-21194575 54-33-0000	257-098-5	No data available	-	-	-
BARIUM SULPHATE	7727-43-7	<1%	01-21194912 74-35-0001	231-784-4	No data available	-	1	-
Trimethylolpropane	77-99-6	<1%	01-21194867 99-10-0000	201-074-9	Repr. 2 (H361fd)	-	-	-
CARBON BLACK	1333-86-4	<1%	01-21193848 22-32-0000	215-609-9	No data available	-	-	-
RED OXIDE C.I. PIGMENT RED 101	1309-37-1	<1%	01-21194576 14-35-0011	215-168-2	No data available	-	-	-
SILICA (CRYSTALLINE)	14808-60-7	<0.01%	No data available	238-878-4	STOT RE 1 (H372)	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapor - mg/L	hour - gas - ppm
TITANIUM DIOXIDE	10000	No data available	5.09	No data available	No data available
13463-67-7					
bis[4-(2,3-EPOXYPROP	11266.1	20000	No data available	No data available	No data available
OXY)PHENYL]PROPANE					
1675-54-3					
oxirane,	17100	4000	No data available	No data available	No data available
mono[(C12-14-alkyloxy)					
methyl] derivs.					
68609-97-2					
BARIUM SULPHATE	307000	No data available	No data available	No data available	No data available
7727-43-7					
Trimethylolpropane	14100	10000	No data available	No data available	No data available
77-99-6					
CARBON BLACK	15400	2000	0.0046	No data available	No data available
1333-86-4					
RED OXIDE C.I.	10000	No data available	No data available	No data available	No data available

Chemical name	Oral LD50 mg/kg	Dermal LD50	Inhalation LC50 - 4	Inhalation LC50 - 4	Inhalation LC50 - 4
		mg/kg	hour - dust/mist - mg/L	hour - vapor - mg/L	hour - gas - ppm
PIGMENT RED 101					
1309-37-1					

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Nanoforms

C.I. PIGMENT YELLOW 42 (51274-00-1)

Name of (set of) nanoform(s)	Particle characteristics	Value	Method
Iron Oxide Hydroxide (alpha- FeOOH)	Particle size distribution - d10	5-60 nm	No information available
Iron Oxide Hydroxide (alpha- FeOOH)	Particle size distribution - d50	10-100 nm	No information available
Iron Oxide Hydroxide (alpha- FeOOH)	Particle size distribution - d90	12-200 nm	No information available

CARBON BLACK (1333-86-4)

Name of (set of) nanoform(s)	Name of (set of) nanoform(s) Particle characteristics		Method
solid: nanoform, surface-treated	Particle size distribution - d10	7-29 nm	No information available
solid: nanoform, surface-treated	Particle size distribution - d50	10-50 nm	No information available
solid: nanoform, surface-treated	Particle size distribution - d90	15-85 nm	No information available

Additional information

This mixture contains ≥ 1% Titanium Dioxide (CAS 13463-67-7) The Annex VI classification of Titanium Dioxide does not apply to this mixture according to its Note 10.

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a

physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

Page 4 / 18

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Revision date 11/12/2024

Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Page 5 / 18

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Avoid contact with skin, eyes or clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Storage class (TRGS 510) Storage class 10.

7.3. Specific end use(s)

Risk Management Methods (RMM) No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
TITANIUM DIOXIDE	=	TWA: 5 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³	TWA: 10 mg/m ³
13463-67-7		STEL 10 mg/m ³			TWA: 4 mg/m ³
BARIUM SULPHATE	TWA 0.5 mg/m ³	-	TWA: 5 mg/m ³	TWA: 10.0 mg/m ³	TWA: 10 mg/m ³
7727-43-7	Ü		ŭ		TWA: 4 mg/m ³
CARBON BLACK	-	-	TWA: 3 mg/m ³	-	TWA: 3.5 mg/m ³
1333-86-4			•		STEL: 7 mg/m ³
RED OXIDE C.I. PIGMENT	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5.0 mg/m ³	TWA: 4 mg/m ³
RED 101		STEL 10 mg/m ³	· ·		TWA: 5 mg/m ³
1309-37-1		Ŭ			TWA: 10 mg/m ³
					STEL: 10 mg/m ³
SILICA (CRYSTALLINE)	TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
14808-60-7	· ·	Ů	· ·	, and the second	
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
TITANIUM DIOXIDE	-	-	TWA: 6 mg/m ³	TWA: 5 mg/m ³	-
13463-67-7			STEL: 12 mg/m ³		
CARBON BLACK	-	TWA: 2.0 mg/m ³	TWA: 3.5 mg/m ³	TWA: 3 mg/m ³	TWA: 3.5 mg/m ³
1333-86-4		Ů	STEL: 7 mg/m ³		STEL: 7 mg/m ³
RED OXIDE C.I. PIGMENT	-	TWA: 10 mg/m ³	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³	TWA: 5 mg/m ³
RED 101		Ŭ	STEL: 7 mg/m ³		
1309-37-1			· ·		
SILICA (CRYSTALLINE)	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.3 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³
14808-60-7			TWA: 0.1 mg/m ³		
			STEL: 0.6 mg/m ³		
			STEL: 0.2 mg/m ³		
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
TITANIUM DIOXIDE	TWA: 10 mg/m ³	TWA: 1.25 mg/m ³	TWA: 0.3 mg/m ³	TWA: 10 mg/m ³	-
13463-67-7	•	TWA: 10 mg/m ³	Peak: 2.4 mg/m ³	TWA: 5 mg/m ³	
bis[4-(2,3-EPOXYPROPO	-	-	skin sensitizer	-	-
XY)PHENYLIPROPANE					
1675-54-3					
BARIUM SULPHATE	-	TWA: 1.25 mg/m ³	TWA: 4 mg/m ³	-	-
7727-43-7		TWA: 10 mg/m ³	TWA: 0.3 mg/m ³		
			Peak: 2.4 mg/m ³		
CARBON BLACK	TWA: 3.5 mg/m ³	-	-	TWA: 3.5 mg/m ³	TWA: 3 mg/m ³
1333-86-4	Ŭ			STEL: 7 mg/m ³	Ĭ Į
RED OXIDE C.I. PIGMENT	TWA: 5 mg/m ³	-	-	TWA: 10 mg/m ³	TWA: 4 mg/m ³

Revision date 1	۱1	/1	2	/2	02	24
-----------------	----	----	---	----	----	----

				T			
RED 101 1309-37-1	TWA: 10	mg/m³			STEL: 10	0 mg/m ³	
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.1	mg/m³	-	-	TWA: 0.	1 mg/m³	TWA: 0.1 mg/m ³
Chemical name	Irelar	nd	Italy MDLPS	Italy AIDII	Latvia		Lithuania
TITANIUM DIOXIDE	TWA: 10		-	TWA: 10 mg/m ³	TWA: 10		TWA: 5 mg/m ³
13463-67-7	TWA: 4 r	ng/m³					
	STEL: 30						
DADILIM OLII DUATE	STEL: 12			T\4/4 5 / 3			
BARIUM SULPHATE 7727-43-7	TWA: 5 r STEL: 15		-	TWA: 5 mg/m ³	-		-
Trimethylolpropane	51LL. 13	mg/m²	_	_		,	Ceiling: 5 ppm
77-99-6							Coming. o ppm
CARBON BLACK	TWA: 3 r	ng/m³	-	TWA: 3 mg/m ³	-		-
1333-86-4	STEL: 15			_			
RED OXIDE C.I. PIGMENT			-	TWA: 5 mg/m ³	TWA: 4	mg/m³	TWA: 3.5 mg/m ³
RED 101	TWA: 10						
1309-37-1	TWA: 4 r STEL: 10						
	STEL: 10						
	STEL: 30						
SILICA (CRYSTALLINE)	TWA: 0.1		TWA: 0.1 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.	1 mg/m ³	TWA: 0.1 ppm
14808-60-7	STEL: 0.3						
Chemical name	Luxemb	ourg	Malta	Netherlands	Nor	way	Poland
TITANIUM DIOXIDE	-		-	-	TWA: 5		TWA: 10 mg/m ³ STEL: 30 mg/m ³
13463-67-7 BARIUM SULPHATE			_	_	STEL: 10		51EL. 30 mg/m
7727-43-7	_		-	-	TWA: 0.5 mg/m ³ STEL: 1.5 mg/m ³		
CARBON BLACK	-		-	-	TWA: 3.		TWA: 4 mg/m ³
1333-86-4					STEL: 7 mg/m ³		
RED OXIDE C.I. PIGMENT	-		-	-	TWA: 3		TWA: 2.5 mg/m ³
RED 101					STEL: 6	mg/m³	TWA: 5 mg/m ³
1309-37-1							STEL: 10 mg/m ³
SILICA (CRYSTALLINE)			_	TWA: 0.075 mg/m ³	TWA: 0.0	15 ma/m3	STEL: 5 mg/m ³ TWA: 0.1 mg/m ³
14808-60-7	-		-	1 WA. 0.075 Hig/III*	TWA: 0.0		I VVA. U. I IIIg/III°
14000 00 7					TWA: 0.		
					STEL: 0.		
					STEL: 0.1		
	_			21	STEL: 0.		
Chemical name	Portu		Romania	Slovakia	Slove	enia	Spain
TITANIUM DIOXIDE 13463-67-7	TWA: 10	mg/m³	TWA: 10 mg/m ³ STEL: 15 mg/m ³	TWA: 5 mg/m ³	-		TWA: 10 mg/m ³
BARIUM SULPHATE	TWA: 5 r	na/m³	SIEL. 15 IIIg/III°	TWA: 4 mg/m ³			TWA: 10 mg/m ³
7727-43-7	1 WA. 51	iig/iii	_	TWA: 1.5 mg/m ³	_		TVVA. 10 mg/m²
CARBON BLACK	TWA: 3 r	na/m³	-	TWA: 2 mg/m ³	_		TWA: 3.5 mg/m ³
1333-86-4				TWA: 10 mg/m ³			
RED OXIDE C.I. PIGMENT	TWA: 5 r	ng/m³	TWA: 5 mg/m ³	TWA: 1.5 mg/m ³	-		TWA: 5 mg/m ³
RED 101			STEL: 10 mg/m ³				
1309-37-1	T\\\\A : \\ \ \ \ \		T\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	T\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	TMA: 0.05 / 0		T)A/A . O OF :: / O
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.02	o mg/m³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ STEL: 0.5 mg/m ³			TWA: 0.05 mg/m ³
Chemical name			Sweden	Switzerlan	d	_ []r	lited Kingdom
TITANIUM DIOXIDE 13463-67-7		N	IGV: 5 mg/m ³	TWA: 3 mg/			VA: 10 mg/m ³
		·	- · · · · · · · · · · · · · · · · · · ·	TWA: 10 mg			WA: 4 mg/m ³
]		ST	EL: 30 mg/m ³
							EL: 12 mg/m ³
BARIUM SULPHATE			-	TWA: 3 mg/	m ³	J TV	VA: 10 mg/m ³

7707.40.7		TIMA: 40 / 2	T10/0 - 4/2
7727-43-7		TWA: 10 mg/m ³	TWA: 4 mg/m ³
			STEL: 30 mg/m ³
			STEL: 12 mg/m ³
Trimethylolpropane	NGV: 5 mg/m ³	-	-
77-99-6	G		
CARBON BLACK	NGV: 3 mg/m ³	-	TWA: 3.5 mg/m ³
1333-86-4	· ·		STEL: 7 mg/m ³
RED OXIDE C.I. PIGMENT RED 101	NGV: 3.5 mg/m ³	TWA: 3 mg/m ³	TWA: 5 mg/m ³
1309-37-1	· ·		TWA: 10 mg/m ³
			TWA: 4 mg/m ³
			STEL: 10 mg/m ³
			STEL: 30 mg/m ³
			STEL: 12 mg/m ³
SILICA (CRYSTALLINE)	NGV: 0.1 mg/m ³	TWA: 0.15 mg/m ³	TWA: 0.1 mg/m ³
14808-60-7	-		STEL: 0.3 mg/m ³

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
SILICA (CRYSTALLINE)	-	Check	-	-	-
14808-60-7		(-)			

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE 1675-54-3	-	0.75 mg/kg bw/day [4] [6]	4.93 mg/m³ [4] [6]
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	-	1 mg/kg bw/day [4] [6]	3.6 mg/m ³ [4] [6]
C.I. PIGMENT YELLOW 42 51274-00-1	-	-	10 mg/m³ [5] [6]
BARIUM SULPHATE 7727-43-7	-	-	10 mg/m³ [4] [6] 10 mg/m³ [5] [6]
Trimethylolpropane 77-99-6	-	0.94 mg/kg bw/day [4] [6]	3.3 mg/m³ [4] [6]
CARBON BLACK 1333-86-4	-	-	1 mg/m³ [4] [6] 0.5 mg/m³ [5] [6]

Notes

[4] Systemic health effects.
[5] Local health effects.
[6] Long term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
bis[4-(2,3-EPOXYPROPOXY)PHENYL	0.5 mg/kg bw/day [4] [6]	-	0.87 mg/m ³ [4] [6]
]PROPANE			
1675-54-3			
oxirane,	0.5 mg/kg bw/day [4] [6]	-	0.87 mg/m³ [4] [6]
mono[(C12-14-alkyloxy)methyl] derivs.			
68609-97-2			
BARIUM SULPHATE	13000 mg/kg bw/day [4] [6]	-	10 mg/m³ [4] [6]

Chemical name

7727-43-7 Trimethylolpropane

77-99-6 CARBON BLACK

1333-86-4

Dermal	Inhalation
-	0.58 mg/m ³ [4] [6]

Revision date 11/12/2024

0.06 mg/m³ [4] [6]

Notes

[4] [6] Systemic health effects.

Long term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
bis[4-(2,3-EPOXYPROPO XY)PHENYL]PROPANE 1675-54-3	0.006 mg/L	0.018 mg/L	0.0006 mg/L	0.0018 mg/L	-
oxirane, mono[(C12-14-alkyloxy)me thyl] derivs. 68609-97-2	0.1058 mg/L	0.072 mg/L	0.01058 mg/L	-	-
BARIUM SULPHATE 7727-43-7	115 μg/L	-	-	-	-

Oral

0.34 mg/kg bw/day [4] [6]

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
bis[4-(2,3-EPOXYPROPO XY)PHENYL]PROPANE 1675-54-3	0.341 mg/kg sediment dw	0.0341 mg/kg sediment dw	10 mg/L	0.0647 mg/kg soil dw	11 mg/kg food
oxirane, mono[(C12-14-alkyloxy)me thyl] derivs. 68609-97-2	307.16 mg/kg sediment dw	30.72 mg/kg sediment dw	10 mg/L	1.234 mg/kg soil dw	-
BARIUM SULPHATE 7727-43-7	600.4 mg/kg sediment dw	-	62.2 mg/L	207.7 mg/kg soil dw	-

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Wear suitable gloves. Impervious gloves. **Hand protection**

Wear suitable protective clothing. Long sleeved clothing. Skin and body protection

Appropriate respiratory protection should be selected and used according to the chemical Respiratory protection

nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Avoid contact with skin, eyes or clothing.

Environmental exposure controls No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Coloured paste, Liquid, or **Appearance**

Physical state Liquid

Color White/off-white

Odor Slight

Odor threshold No information available

Property Values_ Remarks • Method

Melting point / freezing point No data available None known Initial boiling point and boiling rangeNo data available None known **Flammability** No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

Lower flammability or explosive No data available

limits

Flash point 150 °C None known

1929 - 400 °C **Autoignition temperature** (ASTM D 1929) 400°C

Decomposition temperature None known

No data available None known SADT (°C) No data available None known рH No data available None known pH (as aqueous solution) Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known Water solubility No data available None known Solubility(ies) No data available None known Partition coefficient No data available None known Vapor pressure No data available None known None known

Relative density No data available No data available **Bulk density** No data available **Liquid Density**

Relative vapor density No data available None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No information available

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components). Causes skin irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity

Chemical name	mical name Oral LD50 Dermal LD50		Inhalation LC50
TITANIUM DIOXIDE	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat) 4 h

Revision date	11/	12	/2024
---------------	-----	----	-------

bis[4-(2,3-EPOXYPROPOXY)PHENYL	= 11300 µL/kg (Rat)	= 20000 mg/kg (Rabbit)	-
JPROPANE			
oxirane,	= 17100 mg/kg (Rat)	> 4000 mg/kg (Rabbit)	-
mono[(C12-14-alkyloxy)methyl] derivs.			
BARIUM SULPHATE	= 307000 mg/kg (Rat)	-	-
Trimethylolpropane	= 14100 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	> 0.85 mg/L (Rat) 4 h
CARBON BLACK	> 15400 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 4.6 mg/m³ (Rat) 4 h
RED OXIDE C.I. PIGMENT RED 101	> 10000 mg/kg (Rat)	-	-

Skin corrosion/irritation

Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation

Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

Carbon black is not suitable to be tested directly in bacterial (Ames test) and other in vitro systems because of its insolubility. However, when organic solvent extracts of carbon black have been tested, results showed no mutagenic effects. Organic solvent extracts of carbon black can contain traces of polycyclic aromatic hydrocarbons (PAHs). A study to examine the bioavailability of these PAHs showed that they are very tightly bound to carbon black and are not bioavailable (Borm, 2005). In an experimental investigation,

mutational changes in the hprt ene

were reported in alveolar epithelial cells in the rat following inhalation exposure to carbon black (Driscoll, 1997). This observation is considered to be rat-specific and a consequence of "lung overload," which leads to chronic inflammation and release of reactive oxygen species. This is considered to be a secondary genotoxic effect and, thus, carbon black itself would not be considered to be mutagenic.

Carcinogenicity

In 2006 IARC re-affirmed its 1995 finding that there is "inadequate evidence" from human health studies to assess whether carbon black causes cancer in humans. IARC concluded that there is "sufficient evidence" in experimental animal studies for the carcinogenicity of carbon black. IARC's overall evaluation is that carbon black is "possibly carcinogenic to humans (Group 2B)". This conclusion was based on IARC's guidelines, which generally require such a classification if one species exhibits carcinogenicity in two or more animal studies (IARC, 2010). Solvent extracts of carbon black were used in one study of rats in which skin tumors were found after dermal application and several studies of mice in which sarcomas were found following subcutaneous injection. IARC concluded that there was "sufficient evidence" that carbon black extracts can cause cancer in animals (Group 2B).

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT - single exposure

Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Trimethylolpropane	-	-	-	EC50: =13000mg/L
				(48h, Daphnia species)
				EC50: 10330 -
				16360mg/L (48h,
				Daphnia magna)
RED OXIDE C.I. PIGMENT RED	-	LC50: =100000mg/L	-	-
101		(96h, Danio rerio)		

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

	Component information	
Chemical name		Partition coefficient
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE		2.33
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.		3.77
	Trimethylolpropane	-0.47

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment
TITANIUM DIOXIDE	The substance is not PBT / vPvB

bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE	The substance is not PBT / vPvB
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	The substance is not PBT / vPvB
C.I. PIGMENT YELLOW 42	The substance is not PBT / vPvB
BARIUM SULPHATE	The substance is not PBT / vPvB
Trimethylolpropane	The substance is not PBT / vPvB
CARBON BLACK	The substance is not PBT / vPvB
RED OXIDE C.I. PIGMENT RED 101	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

No information available. **Endocrine disrupting properties**

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

Revision date 11/12/2024

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number UN3082

14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Formaldehyde, polymer with

(chloromethyl)oxirane and phenol, mw <=700)

14.3 Transport hazard class(es)

14.4 Packing group

Description

UN3082, Environmentally hazardous substance, liquid, n.o.s.

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Formaldehyde, polymer with

(chloromethyl)oxirane and phenol, mw <=700), 9, III

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions

A97, A158, A197

Yes

ERG Code

QΙ

9

IMDG

UN3082 14.1 UN number or ID number

14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Formaldehyde, polymer with

(chloromethyl)oxirane and phenol, mw <=700)

14.3 Transport hazard class(es)

14.4 Packing group

Ш Description

UN3082, Environmentally hazardous substance, liquid, n.o.s.

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Formaldehyde, polymer with

(chloromethyl)oxirane and phenol, mw <=700), 9, III, Marine pollutant

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions EmS-No.

274, 335, 969 F-A, S-F

Page 14 / 18

14.7 Maritime transport in bulk according to IMO instruments

No information available

UN3082 14.1 UN number or ID number

Environmentally hazardous substance, liquid, n.o.s. 14.2 UN proper shipping name

Ш

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Formaldehyde, polymer with

(chloromethyl)oxirane and phenol, mw <=700)

14.3 Transport hazard class(es)

14.4 Packing group

Description UN3082, Environmentally hazardous substance, liquid, n.o.s.

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Formaldehyde, polymer with

(chloromethyl)oxirane and phenol, mw <=700), 9, III

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions

274, 335, 375, 601

Classification code M6

ADR

14.1 UN number or ID number UN3082

14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

9

Yes

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Formaldehyde, polymer with

(chloromethyl)oxirane and phenol, mw <=700)

14.3 Transport hazard class(es)

14.4 Packing group

Ш Description

UN3082, Environmentally hazardous substance, liquid, n.o.s.

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Formaldehyde, polymer with

(chloromethyl)oxirane and phenol, mw <=700), 9, III, (-)

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions

274, 335, 601, 375

Classification code M6 **Tunnel restriction code** (-)

<u>ADN</u>

14.1 UN number or ID number UN3082

14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Formaldehyde, polymer with

(chloromethyl)oxirane and phenol, mw <=700)

14.3 Transport hazard class(es)

14.4 Packing group

Description

Ш

UN3082, Environmentally hazardous substance, liquid, n.o.s.

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Formaldehyde, polymer with

(chloromethyl)oxirane and phenol, mw <=700), 9, III

14.5 Environmental hazard Yes

14.6 Special precautions for user

Special Provisions

274, 335, 375, 601

Classification code M6 **Equipment Requirements** PP

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

ocupational Illnococo (D. 462.2. Erongo)

Occupational linesses (N-403-3, France)		
	Chemical name	French RG number
	CARBON BLACK - 1333-86-4	RG 16.RG 16bis

RED OXIDE C.I. PIGMENT RED 101 - 1309-37-1	RG 44,RG 44bis,RG 94
SILICA (CRYSTALLINE) - 14808-60-7	RG 25

Chemical Prohibition Ordinance

Not applicable

(ChemVerbotsV)

TRGS 905 Not applicable

Netherlands

Carcinogenic, mutagenic and reproductive toxic effects

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
SILICA (CRYSTALLINE) - 14808-60-7	Present	-	-

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018
Storage of Hazardous Material
WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20
Major Accidents Ordinance SR 814.012
Not applicable
Not applicable

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
TITANIUM DIOXIDE - 13463-67-7	Use restricted. See entry 75.	-
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE -	Use restricted. See entry 75.	-
1675-54-3		
oxirane, mono[(C12-14-alkyloxy)methyl] derivs	Use restricted. See entry 75.	-
68609-97-2		
CARBON BLACK - 1333-86-4	Use restricted. See entry 75.	-
RED OXIDE C.I. PIGMENT RED 101 - 1309-37-1	Use restricted. See entry 75.	-

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) Regulation (EU) 2024/590 Not applicable.

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
CARBON BLACK - 1333-86-4	Plant protection agent
SILICA (CRYSTALLINE) - 14808-60-7	Plant protection agent

International Inventories

TSCA Contact supplier for inventory compliance status DSL/NDSL Contact supplier for inventory compliance status Contact supplier for inventory compliance status **EINECS/ELINCS** Contact supplier for inventory compliance status **ENCS** Contact supplier for inventory compliance status **IECSC** Contact supplier for inventory compliance status **KECL PICCS** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **AIIC NZIoC** Contact supplier for inventory compliance status **TCSI** Contact supplier for inventory compliance status

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AllC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals
TCSI - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

+ Sensitizers

Classification procedure		
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used	
Acute oral toxicity	Calculation method	
Acute dermal toxicity	Calculation method	
Acute inhalation toxicity - gas	Calculation method	
Acute inhalation toxicity - vapor	Calculation method	
Acute inhalation toxicity - dust/mist	Calculation method	
Skin corrosion/irritation	Calculation method	

Page 17 / 18

Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA RAC)

European Chemicals Agency (ECHA) (ECHA_API)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 11/12/2024

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information contained within this document is presented in good faith and is believed to be correct. West and Senior Limited makes no representation as to the accuracy and/or completeness of this information. This information is issued on the condition that the user will determine the safety and suitability of products for their purposes prior to use. All technical details and values presented are deemed typical and do not constitute a delivery specification.

End of Safety Data Sheet