

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and Regulation (EC) No. 1272/2008 Including amendments

Revision date 11/12/2024

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name EP FASCOL WHITE PIGMENT

Product Code(s) WS13587A

Safety data sheet number 30956

Unique Formula Identifier (UFI) EQQR-929A-900C-39QJ

Pure substance/mixture Mixture

Contains bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE; Bisphenol F diglycidyl ether, reaction mass of isomers; oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Colouring of epoxide compound & systems. For industrial use only.

1.3. Details of the supplier of the safety data sheet

<u>Importer</u> <u>Supplier</u>

WSEU LIMITED

The Penthouse Floor

5 Lapps Quay

Cork

Ireland

T12 RW7D

West & Senior Ltd

Milltown Street

Radcliffe

Manchester

M26 1WE

UK

For further information, please contact

E-mail address info@westsenior.co.uk

Non-Emergency Telephone Number + 44 01617247131

1.4. Emergency telephone number

Emergency Telephone +44 0161 724 7131 Only available 8am to 4pm, Monday to Friday (UK Time Zone)

Emergency Telephone -	§45 - (EC)1272/2008
Europe	112
Austria	24hr Emergency number +43 1 406 43 43
Belgium	070 245 245
Denmark	+45 8212 1212
Finland	0800 147 111 (the call is free of charge)09 471 977 (normal price)
France	ORFILA number: + 33 (0)1 45 42 59 59
Ireland	7 days a week 8am-10pm - 01 809 2166
Netherlands	NVIC: +31 (0)88 755 8000: Only for the purpose of informing medical personnel in case of acute intoxications' or in Dutch: 'Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen.

Norway	22 59 13 00
Portugal	Portugal CIAV phone number: +351 800 250 250
Spain	National Emergency Telephone Number of Spanish Poison Centre: + 34 91 562 04 20 The information will be provided in Spanish (available 24/7): health personnel & general public
	(poisoning cases).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin irritation	Category 2 - (H315)
Eye irritation	Category 2 - (H319)
Skin sensitization	Category 1 - (H317)
Hazardous to the aquatic environment - chronic	Category 2 - (H411)

2.2. Label elements

Contains bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE; Bisphenol F diglycidyl ether, reaction mass of isomers; oxirane, mono[(C12-14-alkyloxy)methyl] derivs.



Signal word

Warning

Hazard statements

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H411 - Toxic to aquatic life with long lasting effects.

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Precautionary Statements - EU (§28, 1272/2008)

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, eye protection and face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P391 - Collect spillage.

P337 + P313 - If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

Other hazards No information available.

PBT & vPvB None known.

Endocrine Disruptor InformationThis product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

Page 2 / 16

3.1 Substances

Not applicable

3.2 Mixtures

Chaminal manna	CAS No.	\\\a:a:b+ 0/	DEACH	EC No /ELL	Classification	Constitution	M Cooton	M Cooton
Chemical name	CAS NO.	Weight-%	REACH	EC No (EU	Classification		M-Factor	M-Factor
			registration number	Index No)	Regulation	concentration limit (SCL)		(long-term)
			number		_	IIIIII (SCL)		
					(EC) No. 1272/2008			
					[CLP]			
TITANIII IM DIOVIDE	40400 07 7	20.000/	04 04404000	220 075 5				
TITANIUM DIOXIDE	13463-67-7	30-60%	01-21194893	236-675-5	No data	-	-	-
1: 14 (0.0 EDO)()(D	4075 54.0	00.000/	79-17-0000	(000 070 00	available	F 1 11 0		
bis[4-(2,3-EPOXYP	1675-54-3	30-60%	01-21194566	`	Aquatic	Eye Irrit. 2 ::	-	-
ROPOXY)PHENYL]			19-26-0000	2)	Chronic 2	C>=5%		
PROPANE				216-823-5	(H411)	Skin Irrit. 2 ::		
					Skin Sens. 1	C>=5%		
					(H317)			
					Eye Irrit. 2			
					(H319)			
					Skin Irrit. 2			
					(H315)			
Bisphenol F	-	10-30%	01-21194543	701-263-0	Aquatic	-	-	-
diglycidyl ether,			92-40-XXXX		Chronic 2			
reaction mass of					(H411)			
isomers					Skin Sens. 1			
					(H317)			
					Skin Irrit. 2			
					(H315)			
oxirane,	68609-97-2	1-5%	01-21194852	(603-103-00-	Skin Sens. 1	-	-	-
mono[(C12-14-alkyl			89-22-0000	4)	(H317)			
oxy)methyl] derivs.					Skin Irrit. 2			
					(H315)			
Trimethylolpropane	77-99-6	<1%	01-21194867	201-074-9	Repr. 2	-	-	-
			99-10-0000		(H361fd)			
SILICA	14808-60-7	<0.01%	No data	238-878-4	STOT RE 1	-	-	-
(CRYSTALLINE)			available		(H372)			

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg		Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
TITANIUM DIOXIDE 13463-67-7	10000	No data available		No data available	No data available
bis[4-(2,3-EPOXYPROP OXY)PHENYL]PROPANE 1675-54-3		20000	No data available	No data available	No data available
oxirane, mono[(C12-14-alkyloxy) methyl] derivs. 68609-97-2	17100	4000	No data available	No data available	No data available
Trimethylolpropane	14100	10000	No data available	No data available	No data available

Chemical name	Oral LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
77-99-6			_	

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Additional information

This mixture contains ≥ 1% Titanium Dioxide (CAS 13463-67-7) The Annex VI classification of Titanium Dioxide does not apply to this mixture according to its Note 10.

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

Revision date 11/12/2024

persists.

Skin contact May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a

physician. Wash off immediately with soap and plenty of water for at least 15 minutes.

Ingestion Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce

vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

Effects of Exposure No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Page 4 / 16

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Revision date 11/12/2024

Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautionsAvoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sectionsSee section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Avoid contact with skin, eyes or clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Storage class (TRGS 510) Storage class 10.

7.3. Specific end use(s)

Risk Management Methods (RMM) No information available.

Page 5 / 16

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	Austria	Belgium	Bulga	ria	Croatia
TITANIUM DIOXIDE	-	TWA: 5 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0) mg/m³	TWA: 10 mg/m ³
13463-67-7		STEL 10 mg/m ³				TWA: 4 mg/m ³
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1	mg/m³	TWA: 0.1 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estor		Finland
TITANIUM DIOXIDE 13463-67-7	-	-	TWA: 6 mg/m ³ STEL: 12 mg/m ³	TWA: 5 r	mg/m³	-
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.3 mg/m ³ TWA: 0.1 mg/m ³ STEL: 0.6 mg/m ³ STEL: 0.2 mg/m ³	TWA: 0.1	mg/m³	TWA: 0.05 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Gree		Hungary
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³	TWA: 1.25 mg/m ³ TWA: 10 mg/m ³	TWA: 0.3 mg/m ³ Peak: 2.4 mg/m ³	TWA: 10 TWA: 5 r		-
bis[4-(2,3-EPOXYPROPO XY)PHENYL]PROPANE 1675-54-3	-	-	skin sensitizer	-		-
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.1 mg/m ³	-	-	TWA: 0.1	mg/m³	TWA: 0.1 mg/m ³
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvi		Lithuania
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	-	TWA: 10 mg/m ³	TWA: 10	mg/m³	TWA: 5 mg/m ³
Trimethylolpropane 77-99-6	-	-	-	-		Ceiling: 5 ppm
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.1	mg/m³	TWA: 0.1 ppm
Chemical name	Luxembourg	Malta	Netherlands	Norw	ay	Poland
TITANIUM DIOXIDE 13463-67-7	-	-	-	TWA: 5 r STEL: 10	mg/m³	TWA: 10 mg/m ³ STEL: 30 mg/m ³
SILICA (CRYSTALLINE) 14808-60-7	-	-	TWA: 0.075 mg/m ³	TWA: 0.05 TWA: 0.1 TWA: 0.3 STEL: 0.9 STEL: 0.15 STEL: 0.3	mg/m ³ mg/m ³ mg/m ³ 5 mg/m ³	TWA: 0.1 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slove	nia	Spain
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 15 mg/m ³	TWA: 5 mg/m ³	-		TWA: 10 mg/m ³
SILICA (CRYSTALLINE) 14808-60-7	TWA: 0.025 mg/m	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ STEL: 0.5 mg/m ³	TWA: 0.05	5 mg/m³	TWA: 0.05 mg/m ³
Chemical name		Sweden	Switzerlan	ıd	Un	ited Kingdom
TITANIUM DIOXII 13463-67-7	DE	NGV: 5 mg/m ³	TWA: 3 mg/	TWA: 10 mg/m ³ S		VA: 10 mg/m³ VA: 4 mg/m³ EL: 30 mg/m³ EL: 12 mg/m³
Trimethylolpropar 77-99-6	ne	NGV: 5 mg/m ³	-			-
SILICA (CRYSTALL 14808-60-7	INE)	NGV: 0.1 mg/m ³	TWA: 0.15 m	g/m³		/A: 0.1 mg/m³ EL: 0.3 mg/m³

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
SILICA (CRYSTALLINE)	-	Check	-	-	-
14808-60-7		(-)			

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE 1675-54-3	-	0.75 mg/kg bw/day [4] [6]	4.93 mg/m³ [4] [6]
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	-	1 mg/kg bw/day [4] [6]	3.6 mg/m³ [4] [6]
Trimethylolpropane 77-99-6	-	0.94 mg/kg bw/day [4] [6]	3.3 mg/m³ [4] [6]

Notes

[4] [6] Systemic health effects.

Long term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE 1675-54-3	0.5 mg/kg bw/day [4] [6]	-	0.87 mg/m³ [4] [6]
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 68609-97-2	0.5 mg/kg bw/day [4] [6]	-	0.87 mg/m³ [4] [6]
Trimethylolpropane 77-99-6	0.34 mg/kg bw/day [4] [6]	-	0.58 mg/m³ [4] [6]

Notes

[4] [6] Systemic health effects.

Long term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater	Marine water	Marine water	Air
		(intermittent release)		(intermittent release)	
bis[4-(2,3-EPOXYPROPO XY)PHENYL]PROPANE 1675-54-3	0.006 mg/L	0.018 mg/L	0.0006 mg/L	0.0018 mg/L	-
oxirane, mono[(C12-14-alkyloxy)me thyl] derivs. 68609-97-2	0.1058 mg/L	0.072 mg/L	0.01058 mg/L	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
bis[4-(2,3-EPOXYPROPO XY)PHENYL]PROPANE 1675-54-3	0.341 mg/kg sediment dw	0.0341 mg/kg sediment dw	10 mg/L	0.0647 mg/kg soil dw	11 mg/kg food
oxirane, mono[(C12-14-alkyloxy)me thyl] derivs. 68609-97-2	307.16 mg/kg sediment dw	30.72 mg/kg sediment dw	10 mg/L	1.234 mg/kg soil dw	-

8.2. Exposure controls

Engineering controls No information available.

Personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Wear chemically resistant gloves (tested in accordance to EN 374-1 Type C or greater to be Hand protection

assessed by local risk assessment and physical activity) in combination with employee training.Glove material: Neoprene, Nitriles.Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Wear suitable gloves.

Revision date 11/12/2024

Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing.

Respiratory protection Appropriate respiratory protection should be selected and used according to the chemical

> nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this General hygiene considerations

product. Avoid contact with skin, eyes or clothing.

No information available. **Environmental exposure controls**

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Coloured paste, Liquid, or

Physical state Liquid Color white Odor Slight

Odor threshold No information available

Values Remarks • Method **Property**

Melting point / freezing point No data available None known Initial boiling point and boiling rangeNo data available None known Flammability No data available None known None known

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

150 °C None known Flash point

Page 8 / 16

Autoignition temperature 1929 - 400 °C (ASTM D 1929) 400°C

Decomposition temperatureNone known

SADT (°C) No data available None known No data available None known No data available pH (as aqueous solution) None known No data available Kinematic viscosity None known No data available Dynamic viscosity None known None known Water solubility No data available None known No data available Solubility(ies) No data available None known **Partition coefficient** Vapor pressure No data available None known None known

Relative density

Bulk density

Liquid Density

No data available

No data available

No data available

Relative vapor density No data available None known

Particle characteristics

Particle Size No information available Particle Size Distribution No information available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No information available

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoidNone known based on information supplied.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

Page 9 / 16

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available. May cause irritation of

respiratory tract.

Eye contact Specific test data for the substance or mixture is not available. Causes serious eye irritation.

(based on components). May cause redness, itching, and pain.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components). Causes skin irritation.

Ingestion Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute toxicityBased on available data, the classification criteria are not met.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral) 99,999.00 mg/kg ATEmix (dermal) 99,999.00 mg/kg ATEmix (inhalation-gas) 99,999.00 ppm ATEmix (inhalation-vapor) 99,999.00 mg/l ATEmix (inhalation-dust/mist) 99,999.00 mg/l

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
TITANIUM DIOXIDE	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat) 4 h
bis[4-(2,3-EPOXYPROPOXY)PHENYL	= 11300 μL/kg (Rat)	= 20000 mg/kg (Rabbit)	-
]PROPANE			
oxirane,	= 17100 mg/kg (Rat)	> 4000 mg/kg (Rabbit)	-
mono[(C12-14-alkyloxy)methyl] derivs.		,	
Trimethylolpropane	= 14100 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	> 0.85 mg/L (Rat) 4 h
			·

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Page 10 / 16

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Trimethylolpropane	-	-	-	EC50: =13000mg/L
				(48h, Daphnia species)
				EC50: 10330 -
				16360mg/L (48h,
				Daphnia magna)

12.2. Persistence and degradability

Persistence and degradability No information available.

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE	2.33
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	3.77
Trimethylolpropane	-0.47

12.4. Mobility in soil

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical name	PBT and vPvB assessment
TITANIUM DIOXIDE	The substance is not PBT / vPvB
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE	The substance is not PBT / vPvB
oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	The substance is not PBT / vPvB
Trimethylolpropane	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number UN3082

14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction

mass of isomers)

14.3 Transport hazard class(es)

14.4 Packing group

Description

9 III

UN3082, Environmentally hazardous substance, liquid, n.o.s.

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction

mass of isomers), 9, III

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions

ERG Code

res

A97, A158, A197

9L

IMDG

14.1 UN number or ID number UN308

14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction

mass of isomers)

14.3 Transport hazard class(es)

14.4 Packing group

III

Description

UN3082, Environmentally hazardous substance, liquid, n.o.s.

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction

mass of isomers), 9, III, Marine pollutant

14.5 Environmental hazards

14.6 Special precautions for user

Yes

Special Provisions 274, 335, 969 EmS-No. F-A, S-F

14.7 Maritime transport in bulk according to IMO instruments

No information available

RID

UN3082 14.1 UN number or ID number

14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction

mass of isomers)

14.3 Transport hazard class(es)

14.4 Packing group

Ш

UN3082, Environmentally hazardous substance, liquid, n.o.s. Description

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction

mass of isomers). 9. III

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions

274, 335, 375, 601

Classification code M6

ADR

UN3082 14.1 UN number or ID number

14.2 UN proper shipping name Environmentally hazardous substance, liquid, n.o.s.

9

Yes

Yes

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction

mass of isomers)

14.3 Transport hazard class(es)

14.4 Packing group

Ш Description

UN3082, Environmentally hazardous substance, liquid, n.o.s.

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction

mass of isomers), 9, III, (-)

14.5 Environmental hazards

14.6 Special precautions for user

Special Provisions 274, 335, 601, 375

M6 Classification code **Tunnel restriction code** (-)

ADN

14.1 UN number or ID number

Environmentally hazardous substance, liquid, n.o.s. 14.2 UN proper shipping name

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction

mass of isomers)

14.3 Transport hazard class(es)

14.4 Packing group

Ш

Description UN3082, Environmentally hazardous substance, liquid, n.o.s.

(bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE, Bisphenol F diglycidyl ether, reaction

mass of isomers), 9, III

14.5 Environmental hazard

14.6 Special precautions for user

Special Provisions

274, 335, 375, 601

Yes

Classification code M6 PΡ **Equipment Requirements**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

France

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
SILICA (CRYSTALLINE) - 14808-60-7	RG 25

Chemical Prohibition Ordinance

Not applicable

(ChemVerbotsV)

TRGS 905 Not applicable

Netherlands

Carcinogenic, mutagenic and reproductive toxic effects

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
SILICA (CRYSTALLINE) - 14808-60-7	Present	-	-

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018 Not applicable **Storage of Hazardous Material** SC 10/12 WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20 Not applicable Major Accidents Ordinance SR 814.012 Not applicable

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorization per
	Annex XVII	REACH Annex XIV
TITANIUM DIOXIDE - 13463-67-7	Use restricted. See entry 75.	-
bis[4-(2,3-EPOXYPROPOXY)PHENYL]PROPANE -	Use restricted. See entry 75.	-
1675-54-3		
oxirane, mono[(C12-14-alkyloxy)methyl] derivs	Use restricted. See entry 75.	-
68609-97-2		

Persistent Organic Pollutants

Not applicable

Dangerous substance category per Seveso Directive (2012/18/EU)

E2 - Hazardous to the Aquatic Environment in Category Chronic 2

Ozone-depleting substances (ODS) Regulation (EU) 2024/590 Not applicable.

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
SILICA (CRYSTALLINE) - 14808-60-7	Plant protection agent

International Inventories

TSCA Contact supplier for inventory compliance status

DSL/NDSL Contact supplier for inventory compliance status Contact supplier for inventory compliance status **EINECS/ELINCS ENCS** Contact supplier for inventory compliance status **IECSC** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **KECL** Contact supplier for inventory compliance status **PICCS** Contact supplier for inventory compliance status AIIC Contact supplier for inventory compliance status **NZIoC** Contact supplier for inventory compliance status **TCSI**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AllC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals
TCSI - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of any hazard and/or precautionary statements referred to under Sections 2-15

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child

H372 - Causes damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

+ Sensitizers

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method

Page 15 / 16

Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date 11/12/2024

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information contained within this document is presented in good faith and is believed to be correct. West and Senior Limited makes no representation as to the accuracy and/or completeness of this information. This information is issued on the condition that the user will determine the safety and suitability of products for their purposes prior to use. All technical details and values presented are deemed typical and do not constitute a delivery specification.

End of Safety Data Sheet