



WEST & SENIOR LTD

Revision date 21-01-2026

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:
Regulation (EC) No. 1907/2006 as amended by Regulation (EU) No. 2020/878, and
Regulation (EC) No. 1272/2008 Including amendments

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name PY FASCOL DUST GREY PIGMENT
Product Code(s) WS26175A
Safety data sheet number 18133
Unique Formula Identifier (UFI) MS6M-31HV-S00G-U7M1
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Polyester pigment for composites. For industrial use only.

1.3. Details of the supplier of the safety data sheet

Importer
WSEU LIMITED
The Penthouse Floor
5 Lapps Quay
Cork
Ireland
T12 RW7D

Supplier
West & Senior Ltd
Milltown Street
Radcliffe
Manchester
M26 1WE
UK

For further information, please contact

E-mail address info@westsenior.co.uk

Non-Emergency Telephone Number + 44 01617247131

1.4. Emergency telephone number

Emergency Telephone +44 0161 724 7131 Only available 8am to 4pm, Monday to Friday (UK Time Zone)

Emergency Telephone - §45 - (EC)1272/2008	
Europe	112
Austria	24hr Emergency number +43 1 406 43 43
Belgium	070 245 245
Denmark	+45 8212 1212
Finland	0800 147 111 (the call is free of charge)09 471 977 (normal price)
France	ORFILA number: + 33 (0)1 45 42 59 59
Ireland	7 days a week 8am-10pm - 01 809 2166
Lithuania	Apsinuodijimų kontrolės ir informacijos biuro tel. Nr. +370 (85) 2362052
Netherlands	NVIC: +31 (0)88 755 8000: Only for the purpose of informing medical personnel in case of acute intoxications' or in Dutch: 'Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen.
Norway	22 59 13 00
Portugal	Portugal CIAV phone number: +351 800 250 250

Spain	National Emergency Telephone Number of Spanish Poison Centre: + 34 91 562 04 20 The information will be provided in Spanish (available 24/7): health personnel & general public (poisoning cases).
-------	--

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

2.2. Label elements

No label elements required.

Hazard statements

EUH210 - Safety data sheet available on request.

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3. Other hazards

Other hazards

No information available.

PBT or vPvB properties

The mixture does not contain any substances meeting the PBT or vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical name	Weight-%	REACH registration number	EC No. (Index No.)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)	Notes
TITANIUM DIOXIDE 13463-67-7	30-60%	01-2119489379-17-0000	236-675-5	No data available	-	-	-	-
BARIUM SULPHATE 7727-43-7	5-10%	01-2119491274-35-0001	231-784-4 (056-002-00-7)	No data available	-	-	-	-
CARBON BLACK 1333-86-4	1-5%	01-2119384822-32-0000	215-609-9	No data available	-	-	-	-
RED OXIDE C.I. PIGMENT RED 101 1309-37-1	1-5%	01-2119457614-35-0011	215-168-2	No data available	-	-	-	-

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapor - mg/L	Inhalation LC50 - 4 hour - gas - ppm
TITANIUM DIOXIDE 13463-67-7	10000	No data available	5.0951	No data available	No data available
BARIUM SULPHATE 7727-43-7	307000	No data available	No data available	No data available	No data available
CARBON BLACK 1333-86-4	10000	2002	0.0046	No data available	No data available
RED OXIDE C.I. PIGMENT RED 101 1309-37-1	10000	No data available	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59).

Nanoforms

CARBON BLACK (1333-86-4)

Name of (set of) nanoform(s)	Particle characteristics	Value	Method
solid: nanoform, no surface treatment, Spheroidal	Particle size distribution - d10	6-30 nm	No information available
solid: nanoform, no surface treatment, Spheroidal	Particle size distribution - d50	10-53 nm	No information available
solid: nanoform, no surface treatment, Spheroidal	Particle size distribution - d90	23-144 nm	No information available

Additional information

This mixture contains $\geq 1\%$ Titanium Dioxide (CAS 13463-67-7) The Annex VI classification of Titanium Dioxide does not apply to this mixture according to its Note 10.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.
Ingestion	Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	No information available.
Effects of Exposure	No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically.
---------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical No information available.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510)

Storage class 10.

7.3. Specific end use(s)**Risk Management Methods (RMM)** No information available.**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure Limits**

Chemical name	Austria	Belgium	Bulgaria	Croatia
TITANIUM DIOXIDE 13463-67-7	TWA-TMW: 5 mg/m ³ ; alveolar dust, respirable fraction STEL-KZGW: 10 mg/m ³ (2 X 60 min); alveolar dust, respirable fraction	TWA: 10 mg/m ³ ;	TWA: 10.0 mg/m ³ ; respirable dust	TWA-GVI: 10 mg/m ³ ; total dust, inhalable particles TWA-GVI: 4 mg/m ³ ; respirable dust
BARIUM SULPHATE 7727-43-7	-	TWA: 5 mg/m ³ ;	TWA: 10.0 mg/m ³ ;	TWA-GVI: 10 mg/m ³ ; total dust, inhalable particles TWA-GVI: 4 mg/m ³ ; respirable dust
CARBON BLACK 1333-86-4	-	TWA: 3 mg/m ³ ;	-	TWA-GVI: 3.5 mg/m ³ ; STEL-KGVI: 7 mg/m ³ ;
RED OXIDE C.I. PIGMENT RED 101 1309-37-1	TWA: 5 mg/m ³ STEL 10 mg/m ³	TWA: 5 mg/m ³	TWA: 5.0 mg/m ³	TWA: 4 mg/m ³ TWA: 5 mg/m ³ TWA: 10 mg/m ³ STEL: 10 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia
TITANIUM DIOXIDE 13463-67-7	-	-	TWA: 6 mg/m ³ ; STEL: 12 mg/m ³ ;	TWA: 5 mg/m ³ ;
CARBON BLACK 1333-86-4	-	TWA: 2.0 mg/m ³ ; dust	TWA: 3.5 mg/m ³ ; STEL: 7 mg/m ³ ;	TWA: 3 mg/m ³ ;
RED OXIDE C.I. PIGMENT RED 101 1309-37-1	-	TWA: 10 mg/m ³	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3.5 mg/m ³
Chemical name	Finland	France	Germany TRGS	Germany DFG
TITANIUM DIOXIDE 13463-67-7	-	TWA-VME: 10 mg/m ³ ;	TWA-AGW; 1.25 mg/m ³ (exposure factor 2); respirable fraction TWA-AGW; 10 mg/m ³ (exposure factor 2); inhalable fraction	TWA-MAK: 0.3 mg/m ³ ; II(8);respirable fraction Peak: 2.4 mg/m ³ ; respirable fraction
BARIUM SULPHATE 7727-43-7	-	-	TWA-AGW; 1.25 mg/m ³ (exposure factor 2); respirable fraction TWA-AGW; 10 mg/m ³ (exposure factor 2); inhalable	TWA-MAK: 0.3 mg/m ³ ; II(8);respirable fraction TWA-MAK: 4 mg/m ³ ; ;inhalable fraction Peak: 2.4 mg/m ³ ;

			fraction	respirable fraction
CARBON BLACK 1333-86-4	TWA: 3.5 mg/m ³ ; STEL: 7 mg/m ³ ;	TWA-VME: 3.5 mg/m ³ ;	-	-
RED OXIDE C.I. PIGMENT RED 101 1309-37-1	TWA: 5 mg/m ³	TWA: 5 mg/m ³ TWA: 10 mg/m ³	-	-
Chemical name	Greece	Hungary	Italy MDLPS	Italy AIDII
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³ ; inhalable fraction TWA: 5 mg/m ³ ; respirable fraction	-	-	TWA: 10 mg/m ³ ;
BARIUM SULPHATE 7727-43-7	-	-	-	TWA: 5 mg/m ³ ; inhalable fraction
CARBON BLACK 1333-86-4	TWA: 3.5 mg/m ³ ; STEL: 7 mg/m ³ ;	TWA-AK: 3 mg/m ³ ; inhalable concentration	-	TWA: 3 mg/m ³ ;
RED OXIDE C.I. PIGMENT RED 101 1309-37-1	TWA: 10 mg/m ³ STEL: 10 mg/m ³	TWA: 4 mg/m ³	-	TWA: 5 mg/m ³
Chemical name	Ireland	Latvia	Lithuania	Luxembourg
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³ ; total inhalable dust TWA: 4 mg/m ³ ; respirable dust STEL: 30 mg/m ³ (calculated); res pirable dust STEL: 12 mg/m ³ (calculated);	TWA: 10 mg/m ³ ;	TWA-IPRD: 5 mg/m ³ ;	-
BARIUM SULPHATE 7727-43-7	TWA: 5 mg/m ³ ; respirable dust STEL: 15 mg/m ³ (calculated); res pirable dust	-	-	-
CARBON BLACK 1333-86-4	TWA: 3 mg/m ³ ; inhalable fraction STEL: 15 mg/m ³ (calculated); inh alable fraction	-	-	-
RED OXIDE C.I. PIGMENT RED 101 1309-37-1	TWA: 5 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 10 mg/m ³ STEL: 12 mg/m ³ STEL: 30 mg/m ³	TWA: 4 mg/m ³	TWA: 3.5 mg/m ³	-
Chemical name	Malta	Netherlands	Norway	Poland
TITANIUM DIOXIDE 13463-67-7	-	-	TWA: 5 mg/m ³ ; STEL: 10 mg/m ³ (value calculated);	TWA-NDS: 10 mg/m ³ ; inhalable fraction STEL-NDSch: 30 mg/m ³ ;
BARIUM SULPHATE 7727-43-7	-	-	TWA: 0.5 mg/m ³ ; STEL: 1.5 mg/m ³ (except Barium sulfate;value calculated);	-
CARBON BLACK 1333-86-4	-	-	TWA: 3.5 mg/m ³ ; STEL: 7 mg/m ³ (value calculated);	TWA-NDS: 4 mg/m ³ ; inhalable fraction
RED OXIDE C.I. PIGMENT RED 101	-	-	TWA: 3 mg/m ³ STEL: 6 mg/m ³	TWA: 2.5 mg/m ³ TWA: 5 mg/m ³

1309-37-1				STEL: 10 mg/m ³ STEL: 5 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia
TITANIUM DIOXIDE 13463-67-7	TWA (VLE-MP): 10 mg/m ³ ;	TWA: 10 mg/m ³ ; STEL: 15 mg/m ³ ;	TWA: 5 mg/m ³ ;	-
BARIUM SULPHATE 7727-43-7	TWA (VLE-MP): 5 mg/m ³ ; inhalable fraction	-	TWA: 4 mg/m ³ ; inhalable fraction TWA: 1.5 mg/m ³ ; respirable fraction	-
CARBON BLACK 1333-86-4	TWA (VLE-MP): 3 mg/m ³ ; inhalable fraction	-	TWA: 2 mg/m ³ ; respirable fraction, 5% or less fibrogenic component TWA: 10 mg/m ³ ; respirable fraction, greater than 5% fibrogenic component TWA: 10 mg/m ³ ; total aerosol Ceiling: 10 mg/m ³ ; solid aerosol	-
RED OXIDE C.I. PIGMENT RED 101 1309-37-1	TWA: 5 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 1.5 mg/m ³	-
Chemical name	Spain	Sweden	Switzerland	United Kingdom
TITANIUM DIOXIDE 13463-67-7	TWA-(VLA-ED): 10 mg/m ³ ;	TLV-NGV: 5 mg/m ³ ; total dust	TWA-MAK: 3 mg/m ³ ; respirable dust TWA-MAK: 10 mg/m ³ ; inhalable dust	TWA: 10 mg/m ³ ; total inhalable TWA: 4 mg/m ³ ; respirable STEL: 30 mg/m ³ ; total inhalable STEL: 12 mg/m ³ ; respirable
BARIUM SULPHATE 7727-43-7	TWA-(VLA-ED): 10 mg/m ³ ;	-	TWA-MAK: 3 mg/m ³ ; respirable dust TWA-MAK: 10 mg/m ³ ; inhalable dust	TWA: 10 mg/m ³ ; inhalable dust TWA: 4 mg/m ³ ; respirable dust STEL: 30 mg/m ³ ; inhalable dust STEL: 12 mg/m ³ ; respirable dust
CARBON BLACK 1333-86-4	TWA-(VLA-ED): 3.5 mg/m ³ ;	TLV-NGV: 3 mg/m ³ ; inhalable fraction	-	TWA: 3.5 mg/m ³ ; STEL: 7 mg/m ³ ;
RED OXIDE C.I. PIGMENT RED 101 1309-37-1	TWA: 5 mg/m ³	NGV: 3.5 mg/m ³	TWA: 3 mg/m ³	TWA: 5 mg/m ³ TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 10 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³

Note See section 16 for terms and abbreviations

Biological occupational exposure limits

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
CARBON BLACK 1333-86-4	-	(Note 1)	-	-	-

Note 1: Details about BEL values can be found in Annex 2 of the Austrian Ordinance on Health Monitoring in the Workplace.

Derived No Effect Level (DNEL) - Workers

Chemical name	Oral	Dermal	Inhalation
BARIUM SULPHATE 7727-43-7	-	-	10 mg/m ³ [4] [6] 10 mg/m ³ [5] [6]
CARBON BLACK 1333-86-4	-	-	1 mg/m ³ [4] [6]
C.I. PIGMENT YELLOW 42 51274-00-1	-	-	10 mg/m ³ [5] [6]

Notes

[4] Systemic health effects.

[5] Local health effects.

[6] Long term.

Derived No Effect Level (DNEL) - General Public

Chemical name	Oral	Dermal	Inhalation
BARIUM SULPHATE 7727-43-7	13000 mg/kg bw/day [4] [6]	-	10 mg/m ³ [4] [6]
CARBON BLACK 1333-86-4	-	-	0.06 mg/m ³ [4] [6]

Notes

[4] Systemic health effects.

[6] Long term.

Predicted No Effect Concentration (PNEC)

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
TITANIUM DIOXIDE 13463-67-7	0.127 mg/l	0.61 mg/l	1 mg/l	0.61 mg/l	-
BARIUM SULPHATE 7727-43-7	115 µg/L	-	-	-	-
CARBON BLACK 1333-86-4	50 mg/L	-	-	-	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
TITANIUM DIOXIDE 13463-67-7	1000 mg/kg sediment dw	100 mg/kg sediment dw	100 mg/L	100 mg/kg soil dw	-
BARIUM SULPHATE 7727-43-7	600.4 mg/kg sediment dw	-	62.2 mg/L	207.7 mg/kg soil dw	-

8.2. Exposure controls**Engineering controls**

No information available.

Personal protective equipment

Eye/face protection	Appropriate eye/face protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.
Hand protection	Wear chemically resistant gloves (tested in accordance to EN 374-1 Type C or greater to be assessed by local risk assessment and physical activity) in combination with employee training. Glove material : Neoprene , Nitriles. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin and body protection	Appropriate skin and body protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.
Respiratory protection	Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Thermal hazards	No information available.
Environmental exposure controls	No information available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Coloured paste
Physical state	Liquid
Color	Grey
Odor	Aromatic
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Boiling point or initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Lower and upper explosion limit/flammability limit		None known
Lower explosion limit	No data available	
Upper explosion limit	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
SADT (°C)	No data available	None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Solubility	Organic solvents	None known
Water solubility	Insoluble in water	None known
Partition coefficient n-octanol/water (log value)	No data available	None known
Vapor pressure	No data available	None known
Density and/or relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapor density	No data available	None known
Particle characteristics		

Particle Size No information available
Particle Size Distribution No information available

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No information available

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known based on information supplied.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity Based on available data, the classification criteria are not met.

Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	14,251.30 mg/kg
ATEmix (dermal)	99,999.00 mg/kg
ATEmix (inhalation-gas)	99,999.00 ppm
ATEmix (inhalation-vapor)	99,999.00 mg/L
ATEmix (inhalation-dust/mist)	99,999.00 mg/L

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
TITANIUM DIOXIDE	> 2000 mg/kg (Rat)	-	> 5.09 mg/L (Rat) 4 h
BARIUM SULPHATE	= 307000 mg/kg (Rat)	-	-
CARBON BLACK	> 10000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 4.6 mg/m ³ (Rat) 4 h
RED OXIDE C.I. PIGMENT RED 101	> 10000 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitization Based on available data, the classification criteria are not met.

Germ cell mutagenicity Carbon black is not suitable to be tested directly in bacterial (Ames test) and other in vitro systems because of its insolubility. However, when organic solvent extracts of carbon black have been tested, results showed no mutagenic effects. Organic solvent extracts of carbon black can contain traces of polycyclic aromatic hydrocarbons (PAHs). A study to examine the bioavailability of these PAHs showed that they are very tightly bound to carbon black and are not bioavailable (Borm, 2005). In an experimental investigation, mutational changes in the hprt gene were reported in alveolar epithelial cells in the rat following inhalation exposure to carbon black (Driscoll, 1997). This observation is considered to be rat-specific and a consequence of "lung overload," which leads to chronic inflammation and release of reactive oxygen species. This is considered to be a secondary genotoxic effect and, thus, carbon black itself would not be considered to be mutagenic.

Carcinogenicity In 2006 IARC re-affirmed its 1995 finding that there is "inadequate evidence" from human health studies to assess whether carbon black causes cancer in humans. IARC concluded that there is "sufficient evidence" in experimental animal studies for the carcinogenicity of carbon black. IARC's overall evaluation is that carbon black is "possibly carcinogenic to humans (Group 2B)". This conclusion was based on IARC's guidelines, which generally require such a classification if one species exhibits carcinogenicity in two or more animal studies (IARC, 2010). Solvent extracts of carbon black were used in one study of rats in which skin tumors were found after dermal application and several studies of mice in which sarcomas were found following subcutaneous injection. IARC concluded that there was "sufficient evidence" that carbon black extracts can cause cancer in animals (Group 2B).

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disruption for human health Based on available data, the classification criteria are not met.

11.2.2. Other information

Other adverse effects No information available.

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met.

Aquatic toxicity

Component Information

Chemical name	Fish	Crustacea	Algae/aquatic plants	Toxicity to microorganisms
RED OXIDE C.I. PIGMENT RED 101	LC50: =100000mg/L (96h, Danio rerio)	-	-	-

12.2. Persistence and degradability No information available.

12.3. Bioaccumulative potential There is no data for this product.

12.4. Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment This product does not contain any substances that are assessed to be a PBT or a vPvB.

Chemical name	PBT and vPvB assessment
TITANIUM DIOXIDE	Not PBT/vPvB
BARIUM SULPHATE	Not PBT/vPvB
CARBON BLACK	Not PBT/vPvB
RED OXIDE C.I. PIGMENT RED 101	Not PBT/vPvB

12.6. Endocrine disrupting properties Based on available data, the classification criteria are not met.

12.7. Other adverse effects No information available.

PMT or vPvM properties Based on available data, the classification criteria are not met.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Do not reuse empty containers.

SECTION 14: Transport information

IATA

14.1 UN number or ID number Not regulated
 14.2 UN proper shipping name Not regulated
 14.3 Transport hazard class(es) Not regulated
 14.4 Packing group Not regulated
 14.5 Environmental hazards Not applicable
 14.6 Special precautions for user
 Special Provisions None

IMDG

14.1 UN number or ID number Not regulated
 14.2 UN proper shipping name Not regulated
 14.3 Transport hazard class(es) Not regulated
 14.4 Packing group Not regulated
 14.5 Environmental hazards Not applicable
 14.6 Special precautions for user
 Special Provisions None
 14.7 Maritime transport in bulk according to IMO instruments No information available

RID

14.1 UN number or ID number Not regulated
 14.2 UN proper shipping name Not regulated
 14.3 Transport hazard class(es) Not regulated
 14.4 Packing group Not regulated
 14.5 Environmental hazards Not applicable
 14.6 Special precautions for user
 Special Provisions None

ADR

14.1 UN number or ID number Not regulated
 14.2 UN proper shipping name Not regulated
 14.3 Transport hazard class(es) Not regulated
 14.4 Packing group Not regulated
 14.5 Environmental hazards Not applicable
 14.6 Special precautions for user
 Special Provisions None

ADN

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special precautions for user	None
Special Provisions	None

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations****France****Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number
CARBON BLACK 1333-86-4	RG 16, RG 16bis
RED OXIDE C.I. PIGMENT RED 101 1309-37-1	RG 44, RG 44bis, RG 94

Chemical Prohibition Ordinance (ChemVerbotsV)

This product is subject to requirements and restrictions regarding handling and delivery.

Chemical name	ANNEX I
SILICA (CRYSTALLINE) 14808-60-7	1.2

TRGS 905

Not applicable

Switzerland

Ordinance on the Incentive Tax on Volatile Organic Compounds (OVOC) SR 814.018	Not applicable
Storage of Hazardous Material	SC Non-hazardous material
WPO (GSchV) SR 814.201; WPA (GSchG) SR 814.20	Not applicable
Major Accidents Ordinance SR 814.012	Not applicable

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorizations and/or restrictions on use:

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorization per REACH Annex XIV
TITANIUM DIOXIDE 13463-67-7	75	-
CARBON BLACK 1333-86-4	75	-
RED OXIDE C.I. PIGMENT RED 101 1309-37-1	Use restricted. See entry 75.	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) Regulation (EU) 2024/590

Not applicable.

EU - Plant Protection Products (1107/2009/EC)

Chemical name	EU - Plant Protection Products (1107/2009/EC)
CARBON BLACK 1333-86-4	Plant protection agent

Explosives Precursors Marketing and Use (2019/1148)

Not applicable.

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDSL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AIIC	Contact supplier for inventory compliance status
NZIoC	Contact supplier for inventory compliance status
TCSI	Contact supplier for inventory compliance status

Legend:

- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing Chemicals Inventory
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AIIC - Australian Inventory of Industrial Chemicals
NZIoC - New Zealand Inventory of Chemicals
TCSI - Taiwan Chemical Substance Inventory

15.2. Chemical safety assessment

Chemical Safety Report No information available

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet**

List may include phrases which are not applicable to this product

ACGIH	American Conference of Governmental Industrial Hygienists
AIDII	Italian Association of Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)

AiIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CLP	Classification, Labelling and Packaging Regulation; Regulation (EC) No 1272/2008
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DFG	German Research Foundation
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
ECHA	European Chemicals Agency
EC Number	European Community number
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EWC	European Waste Codes
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
MAK	Maximum Concentration at the Workplace
MAL	Measuring Technical Hygienic Air Needs
MARPOL	International Convention for the Prevention of Pollution from Ships
MDLPS	Ministry of Labor and Social Policy
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
REACH	Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC 1907/2006)
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure

STOT SE	Specific target organ toxicity - Single exposure
SVHC	Substance of very high concern
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TRGS	Technical Rule for Hazardous Substances
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
C	Carcinogen
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant - potential to cause hearing disorders
PS	Photosensitizer
RS	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated
Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method
Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapor	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitization	Calculation method
Skin sensitization	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Chronic aquatic toxicity	Calculation method
Acute aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

Key literature references and sources for data used to compile the SDS

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)
U.S. Environmental Protection Agency ChemView Database
European Food Safety Authority (EFSA)
European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)
European Chemicals Agency (ECHA) (ECHA_API)
U.S. Environmental Protection Agency
Acute Exposure Guideline Level(s) (AELG(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan National Institute of Technology and Evaluation (NITE)
Australian Industrial Chemicals Introduction Scheme (AICIS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications
International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program
International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set
United Nations World Health Organization (WHO)

Supersedes date 17-07-2018

Revision date 21-01-2026

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet